

1		2		3		4		5																																			
No.	NAME	MATERIAL	DWG/MATL No.	CODE	Q'TY	SIZE	WEIGHT	REMARK																																			
					0																																						
<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>INPUT SHAFT KEY 6 x 6</p> </div> <div style="text-align: center;"> </div> <div style="text-align: center;"> <p>OUTPUT SHAFT KEY 10 x 8 x 40</p> </div> </div>																																											
<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>4 - M10 TAP THRU (P.C.D : 165mm)</p> <p>4 - phi 15 DRILL THRU</p> </div> <div style="text-align: center;"> <p>APPROX. 224</p> <p>APPROX. 229</p> <p>1 (바닥면보다 낮음)</p> </div> <div style="text-align: center;"> <p>APPROX. 229</p> </div> </div>																																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2"></th> <th colspan="2">BEARING</th> <th colspan="2"></th> </tr> </thead> <tbody> <tr> <td colspan="2"></td> <td>INPUT SHAFT</td> <td>6006ZZ</td> <td>6204ZZ</td> <td colspan="2"></td> </tr> <tr> <td colspan="2">OIL SEAL</td> <td>2ND PINION</td> <td>6202ZZ</td> <td>6202ZZ</td> <td colspan="2">GREASE : NLGI(EP)00</td> </tr> <tr> <td>INPUT SHAFT</td> <td>D(M) 20 x 32 x 8</td> <td>3RD PINION</td> <td>-</td> <td>-</td> <td colspan="2">ABOUT 0.4 kg</td> </tr> <tr> <td>OUTPUT SHAFT</td> <td>D(M) 35 x 55 x 11</td> <td>OUTPUT SHAFT</td> <td>PM2525</td> <td>6207ZZ</td> <td colspan="2">WEIGHT 19 kg</td> </tr> </tbody> </table>												BEARING						INPUT SHAFT	6006ZZ	6204ZZ			OIL SEAL		2ND PINION	6202ZZ	6202ZZ	GREASE : NLGI(EP)00		INPUT SHAFT	D(M) 20 x 32 x 8	3RD PINION	-	-	ABOUT 0.4 kg		OUTPUT SHAFT	D(M) 35 x 55 x 11	OUTPUT SHAFT	PM2525	6207ZZ	WEIGHT 19 kg	
		BEARING																																									
		INPUT SHAFT	6006ZZ	6204ZZ																																							
OIL SEAL		2ND PINION	6202ZZ	6202ZZ	GREASE : NLGI(EP)00																																						
INPUT SHAFT	D(M) 20 x 32 x 8	3RD PINION	-	-	ABOUT 0.4 kg																																						
OUTPUT SHAFT	D(M) 35 x 55 x 11	OUTPUT SHAFT	PM2525	6207ZZ	WEIGHT 19 kg																																						
				외형도 OUTLINE DIMENSION																																							
				DWG NAME		EYK2D007801		UNIT mm																																			
				DWG No.		EYK2D007801		SCALE 1:1																																			
1		22-06-02		IEC Flange 공용으로 전장 길이 수정 (221->223.5)																																							
No.		DATE		DESCRIPTION of REVISION																																							
A4(210X297mm)		FORM CE-14-0100-444 2013.11.20		DESIGNED		CHECKED		REVIEWED																																			
		HYOSUNG HEAVY INDUSTRIES		2022. 06. 02 김학묵		2022. 06. 02 홍원철		2022. 06. 02 정창석																																			
				REF. No.		-		DATE 2019-06-03		REVISION No. 01																																	
		TYPE		F1HF_13_0.75kW_5~30:1_IEC FLANGE TYPE																																							
				THIRD ANGLE PROJECTION				A																																			

이 도면상에 표시된 정보는 호성중공업(주)의 소유이며 당사의 사전 서면동의 없이 무단사용을 금합니다.