

1	2		3		4		5		
No.	NAME	MATERIAL	DWG/MATL No.	CODE	Q'TY	SIZE	WEIGHT	REMARK	
					0				
<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p><b>INPUT SHAFT</b> KEY 10 x 8</p> </div> <div style="text-align: center;"> <p><b>OUTPUT SHAFT</b> KEY 18 x 11 x 54</p> </div> </div>									
<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>4-M12 TAP DP20/25 (P.C.D.φ265)</p> </div> <div style="text-align: center;"> </div> <div style="text-align: center;"> <p>6-φ19 HOLE THRU</p> </div> </div>									
		BEARING							
		INPUT SHAFT	6011ZZ	6308ZZ					
OIL SEAL		2ND PINION	6207ZZ	6309ZZ	GREASE : NLGI(EP)00				
MOTOR SHAFT	D(M)40x62x11	3RD PINION	-	-	ABOUT		8.0 kg		
OUTPUT SHAFT	D(M)70x95x13	OUTPUT SHAFT	PM5060	22214	WEIGHT		93 kg		
				외형도 OUTLINE DIMENSION					
				DWG NAME					
				DWG No.		E K2D008389		UNIT	mm
						SCALE		1:1	
No.	DATE	DESCRIPTION of REVISION		DESIGNED	CHECKED	REVIEWED	APPROVED	DATE	2022-04-11
A4(210X297mm)	FORM CE-14-0100-444 2013.11.20	<b>HYOSUNG HEAVY INDUSTRIES</b>		KIM.H.M		HONG.W.C	JUNG.C.S	REVISION No.	01
TYPE				F1VF_23_7.5kW_30:1_프리미엄		THIRD ANGLE PROJECTION			
				REF. No.				A	